Measure Cost Guidance

Subcommittee Meeting #3



JENNIFER HOLMES CAMERON ASSADIAN CHAU NYUGEN AYAD AL-SHAIKH

AUGUST 20, 2020

Agenda





- Introductions & Objectives
- Brief Recap
- Remaining questions (Guideline #3)
 - End uses included keep lighting? add any others?
 - Should this guideline explicitly address installation costs? If yes, what are the most prominent data sources and how should they be prioritized?
 - Is the table format useful for measure developers?
- Comments on draft white paper?
- Subcommittee consensus on fundamental principles and guidelines
- Close & next steps

Recap: Objectives and Timeline





- Goal
 - Create guiding principles for measure developers (utility and 3Ps)
- Value
 - Create broad understanding of measure cost requirements and "fundamentals"
 - Facilitate the consistency of data sources and methods
 - Provide greater transparency into measure development
 - Provide measure developers with trade-offs associated with data sources & analytical methods to ensure accuracy, transparency, and cost-efficiency
- Work to date
 - June: Presented summary of current practices and history of CA cost studies
 - July: Presented proposed fundamental principles and draft guidelines
 Circulated draft white paper
 - August (today): Final subcommittee meeting

Guideline 3: Data Sources & Analytical Methods





- Guideline provides measure developers with a matrix of alternative data sources and methods (by use category)
- Goal is to provide measure developers with strengths/weaknesses to inform cost analysis approach
- Goal is to provide general guidance across end uses that will apply to most measures

Guideline 3: Data Sources & Analytical Methods CALIFF





(Example)

Summary of Data Sources and Methods - Other Use Categories

Use Category	Data Sources	Analytical Method	♂ Pros & Cons ♀
Appliance or Plug Load Appliances Consumer Electronics Room AC	Retailer – Point of sale (POS) data	Hedonic cost model * Best for HIMs or if analysis will include multiple measures	 ☼ Includes product features ☼ Isolates EE portion of cost differences ☼ Large sample size ✧ Includes sales volumes ఢ Actual prices paid Ç Data purchase/collection costs can be high Ç Data requirements and data processing needs are high
	Retailer – webscraping	Weighted Average Simple Average	 ☼ Large sample size ☼ Cost efficient Ç List prices do not reflect actual prices paid Ç Sales volume/market share for weighting could be difficult to develop Ç Does not isolate EE portion of cost differences
Commercial Refrigeration	(not applicable)	Built-up Costs	 ☼ Could include installation cost ఢ Reflects all components of complex projects ఢ Requires industry expertise Ϛ No sales volume
Food Service	AutoQuotes	Simple Average or Median	 ☼ Cost efficient ☼ Industry accepted quote service Ç List prices do not reflect prices charged to customers, unless estimate of discount developed Ç No sales volume

Guideline 3: Data Sources & Analytical Methods



Question #1: Are these the right Use Categories to include?

- HVAC (incl service)
- Service & Domestic Hot Water
- Lighting
- Appliance & Plug Load
- Commercial Refrigeration
- Commercial Food Service

Use Categories <u>not</u> included:

- Building envelope
- Compressed air
- Irrigation
- Process
- Recreation
- Whole building

CALIFORNIA TECHNICAL FORUM

Guideline 3: Data Sources & Analytical Methods



Question #2: Should this guideline address installation costs more explicitly?

(If yes) What are the most prominent data sources and how should they be prioritized?

Primary data sources:

- Contractor invoices
- Artificial bids
- Market actor surveys/interviews

Secondary data sources:

- Construction estimating services (RSMeans)
- Trade organizations/publications (CBRE CostLab, homeadvisor.com)
- DOE



Guideline 3: Data Sources & Analytical Methods



Question #3: Is the current table format useful for measure developers? (Is there a better format?)

Summary of Data Sources and Methods – Other Use Categories

Use Category	Data Sources	Analytical Method	
Appliance or Plug Load Appliances Consumer Electronics Room AC	Retailer – Point of sale (POS) data	Hedonic cost model * Best for HIMs or if analysis will include multiple measures	 ☼ Includes product features ☼ Isolates EE portion of cost differences ☼ Large sample size ఢ Includes sales volumes ఢ Actual prices paid Ç Data purchase/collection costs can be high Ç Data requirements and data processing needs are high
	Retailer – webscraping	Weighted Average Simple Average	 △ Large sample size △ Cost efficient Ç List prices do not reflect actual prices paid Ç Sales volume/market share for weighting could be difficult to develop Ç Does not isolate EE portion of cost differences
Commercial Refrigeration	(not applicable)	Built-up Costs	 ☼ Could include installation cost ఢ Reflects all components of complex projects ఢ Requires industry expertise Ϛ No sales volume
Food Service	AutoQuotes	Simple Average or Median	 ☼ Cost efficient ఢ Industry accepted quote service Ç List prices do not reflect prices charged to customers, unless estimate of discount developed Ç No sales volume

Comments





Subcommittee comments on draft white paper?

(open discussion)

Cost Analysis Fundamentals





Measure cost analysis and resultant cost estimates should ...

- 1. Comply with regulatory requirements
- 2. Represent average prices paid by customers
- 3. Represent current market conditions
- 4. Represent an "apples-to-apples" comparison between base and measure case costs, using cost data from similar sources, of the same vintage, and computed using same analytical method
- 5. Represent costs associated the change in energy performance from the baseline to measure case of the technology
- 6. Investment in measure cost data development and analyses should be commensurate with the measure contribution of impacts to the portfolio
- 7. Be transparent and well-documented to foster consistency and reproducibility.

Recommended Guidelines





(blue text are edits since draft paper circulated ... for parallel construction)

- Guideline 1: Develop Measure Costs that Align with TRC and Claims Requirements
- Guideline 2: Include all Appropriate Equipment and Non-equipment Material Costs and Labor Costs to be Included in Measure Cost Estimate
- Guideline 3: Utilize the "Best Available" Data Sources and Analytical Methods
- Guideline 4: Develop Separate Estimates for Material Costs and Installation Labor
- Guideline 5: Develop Costs that Align with Base and Measure Case Definitions, Using the Same Data Sources, of the Same Vintage, and Same Analytical Methods
- Guideline 6: Adjust Cost Estimates Should To Reflect the California Market If Necessary

Recommended Guidelines






- Guideline 7: Estimated Measure Costs Should Collect Data Such That Estimate Represents Average of Costs Actually Paid
- Guideline 8: Independently Validate Cost Estimates
- Guideline 9: Document Analytical Methods, Values, and Sources of All Data Used for the Measure Cost Calculation
- Guideline 10: Review Measure Cost Estimates to Ensure Estimates Align with Current Market Conditions Vintage of Cost Data and Timing of Measure Cost Review
- Guideline 11: Define Data that Should be Collected During Implementation
- Guideline 12: Document Infrastructure Costs During Implementation (fuel substitution measures only)

Next Steps





- Final comments to Jennifer by COB Friday 8/21
- Final draft to be circulated to full TF by 9/3
- Affirmation during Sept Cal TF meeting on 9/24

Thank you!