Lighting Cal TF Tier 2 Presentation



CALIFORNIA

TECHNICAL FORUM

TIM MELLOCH AYAD AL-SHAIKH FEBRUARY 2018



Lighting Measure Affirmation

"Cal TF affirms the subcommittee recommendations regarding 'Stage 1 Issues' for Lighting Measures."

- 4.16, LED, Interior Downlight Fixture
- 4.26, LED, MR-16 Lamp
- 4.27, LED, PAR Lamp
- 4.28, LED, Candelabra Lamp
- 4.29, LED, Globe Lamp

- 4.30, LED, A-Lamp
- 4.31, LED, Recessed Downlight Retrofit Kit
- 4.32, LED, R-BR Lamp
- 4.36, LED, Tube LED

Lighting Introduction

Different "Savings Difference" format – for lighting

	Percent Change Within the Measure									
		PGE	SCE	SDG	SCG	Total				
	kW	-2%				-2%				
All	kWh	-2%				-2%				
◄	Therms	6%				6%				
	Cost	38%				38%				

Absolute Change & Comparison									
			% of						
	Total	% of Measure	Cagegory	PGE	SCE	SDG	SCG		
kW	(3.46)	0%	(0.005)	(3.46)	-	-	-		
kWh	(18,605)	0%	(0.005)	(18,605)	-	-	-		
Therms	(727)	1%	(0.000)	(727)	-	-	-		
Cost	\$333,743	3%	0.051	\$333,743	\$ -	\$-	\$ -		

Includes the same aggregated information, but also...

 Includes break-out of Delivery Channel to show savings and cost separately:

- Direct Install (DI)
- Non-DI = Upstream, Downstream, and Midstream Channels
- Noticed an issue with the claims data that makes some measures "look" drastically different, but really they are the same
 - DI programs are intended to use actual costs rather than workpaper costs
 - Therefore, DI claims costs vary a lot: some high, some low, some zero

Lighting, Tier 2



Lighting Introduction

- eTRM Offerings for Lighting are consistent with IOU workpapers
 - Because of the Wattage Reduction Ratio (WRR) requirement that forces the lowest wattage in a bin to represent the Measure Case wattage, single watt bins are typical to avoid under-claiming savings. For example,
 - × MR-16 LED Lamps
 - × 8 Lighting Bins: <6W, 6W, 7W, 8W, 9W, 10W, 11W, ≥12W
 - Some lamp measures do not follow this strategy in workpapers, but do in DEER
 - For smaller savings measures, the implementation overhead outweighs the value of the savings
 - o 4.28 Candelabra LED Lamps
 - o 4.29 Globe LED Lamps
 - For larger measures, the value of additional bins could be significant
 - o 4.32, R-BR LED Lamps
 - Pursuing what it will take to add more offerings / bins now (Agree?)

Lighting – Terminology and Acronyms

5



Incentive Methods

Incentive Method	Delivery Type	Description
Direct Install	DirInstall	The program implements energy efficiency measures for qualifying customers, at no cost to the customer.
Down- Stream Incentive	PreRebDown	The customer installs qualifying energy efficient equipment and submits an incentive application to the utility program. Upon application approval, the utility program pays an incentive to the customer. Such an incentive may be deemed or customized.
Mid- Stream Incentive	NonUpStrm	The program gives a financial incentive to a midstream market actor, such as a retailer or contractor, to encourage the promotion of efficient measures. The incentive may or may not be passed on to the end-use customer.
Up- Stream Incentive	PreRebUp	The program gives a financial incentive to an upstream market actor, such as a manufacturer or distributor, to encourage the manufacture, provision, or distribution of an efficient measure. The incentive may or may not be passed on to the end-use customer.

Measure Consensus 4.16 LED Recess Downlight Fixture

Offering

- □ 20 Lighting Bins: <7W, 7W 24W, ≥25W</p>
- Building Types: 24 NonRes / 4 Res (Note: Not OTR = Other)
- Vintage: Ex, New
- Climate Zone: CZ01 CZ16 (Note: Not IOU)
- Residential Area: Dwelling/Common
- Delivery: PreRebDown, PreRebUp, NonUpStrm, DirInstall

Stage 1 Issues

- Climate Zone specific claims to match across the state
 - Would need to be average
 - × Not weighted average since no additional weighting data is available
- Did not include 2 commercial EUL's as listed in the SDG&E WP
- Used base case and measure case cost data from PG&E WP which was based on web-scraping.
- Used wattage reduction ratio (WRR) from PG&E WP; updated SDG&E

Measure Extension

- Added measure for POUs (electric measure)
- Added residential areas beyond SCE

Stage 2 Issues

- Calculation: Review savings methodology (WRR vs delta watts), hours of use, interactive effects
- Cost: Review variation due to CZ / Delivery / Offering, methodology for keeping costs up-to-date
- Baseline: Existing conditions opportunity, document baselines
- Permutation collapse

Lighting, Tier 2



Input Needed(following slides recap the issue)





How can we consolidate CZ across IOUs




Question


- If my short term goal is to have an interactive effect table that is not dependent upon PA,
- And we do not have all of the support tables to fully deconstruct the current interactive effects table,
- Should we:
 - Use the Building Stock Area weighting file that we do have (from 2014) to combine interactive effect values from within a climate zone
 - Better mathematical approach
 - 2. Take simple averages (first combine SCE/SCG values since areas overlapping)
 - Simpler process to follow for the future
 - Easy to re-trace steps, if needed
 - Answers are very close

Can we consolidate CZ across IOUs




- About 50% of the values do not overlap
- 4,600 overlapping IE values between IOUs (removed IOU weighted averages)
- Consider Max Min difference (most conservative)





Lighting, Tier 2



How can we consolidate CZ across IOUs



- Reason that we are looking for a solution now:
 - □ This issue of creating PA-specific values is not Lighting only
 - Several Appliance / Plug Load measures
 - Several Water Heating measures
 - Want to address this issue before Stage 2
- Question
 - If my short term goal is to have an interactive effect table that is not dependent upon PA,

11

- And we do not have all of the support tables to fully deconstruct the current interactive effects table,
- Should we:
 - 1. Use the Building Stock Area weighting file that we do have (from 2014) to combine interactive effect values from within a climate zone
 - Better mathematical approach
 - 2. Take simple averages (first combine SCE/SCG values since areas overlapping)
 - Simpler process to follow for the future
 - Easy to re-trace steps, if needed
 - Answers are very close

Measure Consensus 4.16 LED Recess Downlight Fixture

CALIFORNIA TECHNICAL FORUM

12/14/2017

• Offering

- □ 20 Lighting Bins: <7W, 7W 24W, ≥25W</p>
- Building Types: 24 NonRes / 4 Res (Note: Not OTR = Other)
- Vintage: Ex, New
- Climate Zone: CZ01 CZ16 (Note: Not IOU)
- Residential Area: Dwelling/Common
- Delivery: PreRebDown, PreRebUp, NonUpStrm, DirInstall

Stage 1 Issues

- Climate Zone specific claims to match across the state
 - × Would need to be average
 - Not weighted average since no additional weighting data is available
- Did not include 2 commercial EUL's as listed in the SDG&E WP
- Used base case and measure case cost data from PG&E WP which was based on web-scraping.
- Used wattage reduction ratio (WRR) from PG&E WP; updated SDG&E

Measure Extension

- Added measure for POUs (electric measure)
- Added residential areas beyond SCE

Stage 2 Issues

- Calculation: Review savings methodology (WRR vs delta watts), hours of use, interactive effects
- Cost: Review variation due to CZ / Delivery / Offering, methodology for keeping costs up-to-date
- Baseline: Existing conditions opportunity, document baselines
- Permutation collapse


Lighting, Tier 2



Input Needed(following slides recap the issue)

therefore keeping within the tables.

Measure Consensus 4.16 LED Recess Downlight Fixture



Absolute Change & Comparison

			% of				
	Total	% of Measure	Cagegory	PGE	SCE	SDG	SCG
kW	(3.46)	0%	(0.005)	(3.46)	-	I	-
kWh	(18,605)	0%	(0.005)	(18,605)	-	-	-
Therms	(727)	1%	(0.000)	(727)	-	-	-
Cost	\$333,743	3%	0.051	\$333,743	\$ -	\$ -	\$ -



Notes:

- Savings Difference' based on 2017 claims data
 - Effect of wattage reduction ratio (WRR) revision eliminated by comparing against 2017 data
- Claims only identified by PG&E in 2017
- Large cost difference
 - Direct Install can use actual cost, rather than workpaper cost
- PG&E savings difference due to IOU-Weighted CZ rather than actual CZ (which impacts interactive effects values)

Black text = Current state of the consolidated measure Blue text = Changing and / or first time item is mentioned *Italics* text = Item that has not been completed



Input Consensus 4.16 LED Recess Downlight Fixture



Measure Permutations

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
	Com,Sun,Asm,ECC,EPr,ERC,E	SUn,Asm,Com,ECC,EPr,ER	DMo,MFm,ECC,EPr,ERC,ES		
	Se,EUn,Gro,Gst,Hsp,Htl,MBT	C,ESe,EUn,Gro,Hsp,Htl,MB	e,EUn,Gro,Gst,Hsp,Htl,MB		
	,MLI,Mtl,Nrs,OfL,OfS,RFF,RS	T,MFm,MLI,Mtl,Nrs,OfL,Of	T,MLI,Mtl,Nrs,OfL,OfS,RFF,		
	D,Rt3,RtL,RtS,SCn,WRf,Res,D	S,OTR,Res,RFF,RSD,Rt3,RtL	RSD,Rt3,RtL,RtS,SCn,SFm,		
BldgType	Mo,MFm,SFm	,RtS,SCn,WRf	WRf	No Value	No Value
BldgVintage	Ex, New	Ex	Any	No Value	No Value
	CZ01,CZ02,CZ03,CZ04,CZ05,				
	CZ06,CZ07,CZ08,CZ09,CZ10,				
	CZ11,CZ12,CZ13,CZ14,CZ15,		CZ06,CZ08,CZ09,CZ10,CZ1		
BldgLoc	CZ16, IOU	IOU	3,CZ14,CZ15,CZ16	No Value	No Value
	cWtd	cWtd			
BldgHVAC	rWtd	rWtd	Any	No Value	No Value

14

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
MeasureAppType	ROBNC	ROB	ROBNC	No Value	No Value
NormUnit	Lamp	Lamp	Lamp	No Value	No Value
EUL ID	ILtg-Res-LED-50000hr ILtg-Com-LED-50000hr	ILtg-Com-LED-20000hr ILtg-Res-LED-20000hr	ILtg-Com-LED-20000hr ILtg-Res-LED-20000hr	No Value	No Value
NTGR	NonRes-sAll-MLtgLED- Deemed Res-sAll-MLtgLED-Deemed Com-Default>2yrs Res-Default>2	NonRes-sAll-MLtgLED- Deemed Res-sAll-MLtgLED-Deemed Com-Default>2yrs Res-Default>2	Res-sAll-MLtgLED-Deemed		No Value
DeliveryType	DirInstall NonUpStrm PreRebDown PreRebUp	Any DirInstall PreRebDown PreRebUp	DirInstall NonUpStrm PreRebDown PreRebUp	No Value	No Value
GSIA	Com-LED-PGE Def-GSIA	Com-LED-PGE Def-GSIA	Def-GSIA	No Value	No Value

Measure Consensus 4.26 LED MR-16 Lamp

Offering

- 8 Lighting Bins: <6W, 6W 11W, ≥12W</p>
- Building Types: 25 NonRes / 4 Res (Note: Not OTR, Gst/not GsR)
- Vintage: Ex (Note: Not New)
- Climate Zone: CZ01 CZ16 (Note: Not IOU)
- Residential Area: Dwelling/Common
- Delivery: PreRebDown, PreRebUp, NonUpStrm, DirInstall

Stage 1 Issues

Climate Zone specific claims to match across the state

Measure Extension

- Added measure for POUs (electric measure)
- Added residential areas beyond SCE

Stage 2 Issues

(Common Lighting Issues)

12/14/2017

TECHNICAL FORUM

Measure Consensus 4.26 LED MR-16 Lamp



	Percent Change Within the Measure									
		PGE	S	CE	SDG	SCG	Total			
ſ	kW	-1%		0%	-4%		-4%			
=	kWh	-1%		0%	-4%		-4%			
A	Therms	3%		0%	-8%		-2%			
	Cost	35%		-23%	16%		14%			
	kW	0%		-1%	-4%					
۵	kWh	0%		-1%	-4%					
	Therms	4%		0%	-8%					
- [Cost	48%		-33%	16%					
Ξ	kW	-1%		0%	0%					
Ļ	kWh	-2%		0%	0%					
Non-DI	Therms	2%		0%	0%					
2	Cost	0%		0%	0%					

Absolute Change & Comparison

		% of Measure	% of Cagegory	PGE	SCE	SDG	SCG
kW	(10)	-2%	(0.015)	(0.85)	(0.14)	(1.55)	-
kWh	(38,208)	-1%	(0.010)	(4,013)	(491)	(7 <i>,</i> 967)	-
Therms	114	-1%	0.000	(103)	1	64	-
Cost	37,165	5%	0.006	\$50,867	\$(15,375)	\$ 7,046	\$ -



• Notes:

- 'Savings Difference' based on 2017 claims data
- Large cost difference all seen in Direct Install programs
- Direct Install can use actual cost, rather than workpaper cost
- PG&E savings difference due to IOU-Weighted CZ rather than actual CZ (which impacts interactive effects values)

Lighting, Tier 2

Black text = Current state of the consolidated measure Blue text = Changing and / or first time item is mentioned *Italics* text = Item that has not been completed

Input Consensus 4.26 LED MR-16 Lamp



Measure Permutations

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
	Com,Sun,Asm,ECC,EPr,ERC,E	SUn,Asm,Com,ECC,EPr,ER	SUn,Asm,ECC,EPr,ERC,ESe,		
	Se,EUn,Gro,Gst,Hsp,Htl,MBT,	C,ESe,EUn,Gro,Hsp,Htl,MB	EUn,Gro,GsR,Hsp,Htl,MBT,		
	MLI,Mtl,Nrs,OfL,OfS,RFF,RSD	T,MFm,MLI,Mtl,Nrs,OfL,Of	MLI,Mtl,Nrs,OfL,OfS,RFF,R		
	,Rt3,RtL,RtS,SCn,WRf,Res,D	S,OTR,Res,RFF,RSD,Rt3,RtL	SD,Rt3,RtL,RtS,SCn,SFm,W		
BldgType	Mo,MFm,SFm	,RtS,SCn,SFm,WRf	Rf	No Value	No Value
BldgVintage	Ex	Ex	Ex	No Value	No Value
	CZ01,CZ02,CZ03,CZ04,CZ05,				
	CZ06,CZ07,CZ08,CZ09,CZ10,				
	CZ11,CZ12,CZ13,CZ14,CZ15,		,CZ06,CZ08,CZ09,CZ10,CZ1		
BldgLoc	CZ16, IOU	IOU	3,CZ14,CZ15,CZ16	No Value	No Value
	cWtd	cWtd			
BldgHVAC	rWtd	rWtd	Wtd	No Value	No Value

17

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
MeasureAppType	ROB	ROB	ROBNC	No Value	No Value
NormUnit	Lamp	Lamp	Lamp	No Value	No Value
	ILtg-Com-LED-20000hr ILtg-Res-LED-20000hr	°	ILtg-Com-LED-20000hr ILtg-Res-LED-20000hr	No Value	No Value
	NonRes-sAll-MLtgLED- Deemed Res-sAll-MLtgLED-Deemed Com-Default>2yrs Res-Default>2		NonRes-sAll-MLtgLED- Deemed Res-sAll-MLtgLED-Deemed	No Value	No Value
DeliveryType	DirInstall NonUpStrm PreRebDown PreRebUp		DirInstall NonUpStrm PreRebDown PreRebUp	No Value	No Value
	Com-LED-PGE	Com-LED-PGE	Com-LED-PGE		
GSIA	Def-GSIA	Def-GSIA	Def-GSIA	No Value	No Value

Commercial Refrigeration

Measure Consensus 4.27 LED PAR Lamp



Offering

- 4 Lamp Types: PAR16, 20, 30, 38
- Multiple Lighting Bins:
 - × PAR16 (<6, 6, ≥7W), PAR 20 (≤11W), PAR30 (<10, 10-19, ≥20W), PAR38 (<12, 12-26, ≥27W)

18

- Building Types: 25 NonRes / 4 Res (Note: Not OTR)
- Vintage: Ex (Note: Not New)
- Climate Zone: CZ01 CZ16 (Note: Not IOU)
- Residential Area: Dwelling/Common
- Delivery: PreRebDown, PreRebUp, NonUpStrm, DirInstall

Stage 1 Issues

- Climate Zone specific claims to match across the state
- Added special hours for Dwelling Areas & Common Areas for the Multi-Family and Double-Wide Mobile Homes.

Measure Extension

- Added measure for POUs (electric measure)
- Added residential areas beyond SCE

Stage 2 Issues

• (Common Lighting Issues)

Measure Consensus 4.27 LED PAR Lamp



	Percent Change Within the Measure									
		PGE	SCE	SDG	SCG	Total				
í	kW	-16%	-12%	-24%		-17%				
Ł	kWh	-17%	-13%	-24%		-17%				
	Therms	-16%	-16%	-17%		-17%				
	Cost	60%	125%	-22%		81%				
	kW	-17%	-9%	-20%						
٥	kWh	-18%	-9%	-21%						
	Therms	-19%	-18%	-21%						
ĺ	Cost	143%	-30%	-6%						
Ξ	kW	-14%	-12%	-27%						
Non-DI	kWh	-15%	-14%	-26%						
Į	Therms	-13%	-16%	-16%						
2	Cost	0%	137%	-27%						

Absolute Change & Comparison

		% of Measure	% of Cagegory	PGE	SCE	SDG	SCG
kW	(367)	-14%	(0.528)	(240.77)	(65.74)	(40.66)	-
kWh	(1,693,005)	-13%	(0.430)	(996,389)	(428,548)	(178,299)	-
Therms	12,021	-9%	0.005	4,690	6,211	629	-
Cost	2,570,897	35%	0.397	\$831,360	\$1,836,454	\$(73 <i>,</i> 065)	\$ -



Notes:

'Savings Difference' based on 2017 claims data

- SCE, PG&E and SDG&E reporting two versions of savings
- Cannot easily compare because WRR changed part way through 2017

PG&E savings diff (partly) due to IOU-Weighted CZ rather than actual CZ (IE related) SDG&E savings difference (partly) due to:

- Uses COM instead of SFm for Upstream
- Uses IOU instead of specific CZ for Upstream

Large cost difference

Direct Install can use actual cost, rather than workpaper cost

SCE: Midstream cost matches; Upstream cost very different

Lighting, Tier 2

Black text = Current state of the consolidated measure Blue text = Changing and / or first time item is mentioned Italics text = Item that has not been completed

Input Consensus 4.27 LED PAR Lamp



Measure Permutations

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
	Com,Sun,Asm,ECC,EPr,ERC,E	SUn,Asm,Com,ECC,EPr,ER	SUn,Asm,ECC,EPr,ERC,ESe,		
	Se,EUn,Gro,Gst,Hsp,Htl,MBT,	C,ESe,EUn,Gro,Hsp,Htl,MB	EUn,Gro,GsR,Hsp,Htl,MBT,		
	MLI,Mtl,Nrs,OfL,OfS,RFF,RSD	T,MFm,MLI,Mtl,Nrs,OfL,Of	MLI,Mtl,Nrs,OfL,OfS,RFF,R		
	,Rt3,RtL,RtS,SCn,WRf,Res,D	S,OTR,Res,RFF,RSD,Rt3,RtL	SD,Rt3,RtL,RtS,SCn,SFm,W		
BldgType	Mo,MFm,SFm	,RtS,SCn,SFm,WRf	Rf	No Value	No Value
BldgVintage	Ex	Ex	Ex	No Value	No Value
	CZ01,CZ02,CZ03,CZ04,CZ05,				
	CZ06,CZ07,CZ08,CZ09,CZ10,				
	CZ11,CZ12,CZ13,CZ14,CZ15,		,CZ06,CZ08,CZ09,CZ10,CZ1		
BldgLoc	CZ16, IOU	IOU	3,CZ14,CZ15,CZ16	No Value	No Value
	cWtd	cWtd			
BldgHVAC	rWtd	rWtd	Wtd	No Value	No Value

20

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
MeasureAppType	ROB	ROB	ROBNC	No Value	No Value
NormUnit	Lamp	Lamp	Lamp	No Value	No Value
	ILtg-Com-LED-20000hr ILtg-Res-LED-20000hr	°	ILtg-Com-LED-20000hr ILtg-Res-LED-20000hr	No Value	No Value
	NonRes-sAll-MLtgLED- Deemed Res-sAll-MLtgLED-Deemed Com-Default>2yrs Res-Default>2		NonRes-sAll-MLtgLED- Deemed Res-sAll-MLtgLED-Deemed	No Value	No Value
DeliveryType	DirInstall NonUpStrm PreRebDown PreRebUp		DirInstall NonUpStrm PreRebDown PreRebUp	No Value	No Value
	Com-LED-PGE	Com-LED-PGE	Com-LED-PGE		
GSIA	Def-GSIA	Def-GSIA	Def-GSIA	No Value	No Value

Commercial Refrigeration

Measure Consensus 4.28 LED Candelabra Lamp

Offering

- □ 2 Lighting Bins: <3W, 3W ≤5W
- Building Types: 25 NonRes / 4 Res (Note: Not OTR, Gst/not GsR)

21

- Vintage: Ex (Note: Not New)
- Climate Zone: CZ01 CZ16 (Note: Not IOU)
- Residential Area: Dwelling/Common
- Delivery: PreRebDown, PreRebUp, NonUpStrm, DirInstall

Stage 1 Issues

Climate Zone specific claims to match across the state

Measure Extension

- Added measure for POUs (electric measure)
- Added residential areas beyond SCE

Stage 2 Issues

(Common Lighting Issues)

12/14/2017

FECHNICAL FORUM

Measure Consensus 4.28 LED Candelabra Lamp



SCG

\$ -

11

\$ 3,222

	Percent Change Within the Measure							
		PGE	SCE	SDG	SCG	Total		
	(kW	1%	0%	-3%		-1%		
AII	kWh	0%	0%	-3%		-1%		
∢	Therms	-2%	0%	-1%		-2%		
	Cost	50%	47%	7%		42%		
	kW	2%	0%	-3%				
۵	kWh	0%	0%	-3%				
	Therms	-2%	0%	-1%				
	Cost	62%	<u>58%</u>	7%				
Ξ	kW	-1%	0%					
Non-DI	kWh	-2%	0%					
lo	Therms	-2%	0%					
2	Cost	0%	0%					

Absolute Change & Comparison % ot PGE Measure. SCE SDG Cagegory (0.002)(0.00)(1.05)(1.25)kW 0% 0.71 (11, 801)(0.003)(1, 460)(6, 469)kWh -1% 0

0.000

0.017

95

\$77,381

-1%

34%



0

\$32,923

Notes:

- 'Savings Difference' based on 2017 claims data
- PG&E savings difference due to IOU-Weighted CZ rather than actual CZ (which impacts interactive effects values)

123

\$112,920

Therms

Cost

- SDG&E uses DEER measures (C-In-LED-Candle(5w)-dWP31)
 - 5W measure case value typically included in 3-5W bin

Large cost difference

- Direct Install can use actual cost, rather than workpaper cost
- PG&E already updated zero DI cost to the workpaper value; additional DI variation exists

Input Consensus 4.28 LED Candelabra Lamp



Measure Permutations

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
	Com,Sun,Asm,ECC,EPr,ERC,E	SUn,Asm,Com,ECC,EPr,ER	SUn,Asm,ECC,EPr,ERC,ESe,		
	Se,EUn,Gro,Gst,Hsp,Htl,MBT,	C,ESe,EUn,Gro,Hsp,Htl,MB	EUn,Gro,GsR,Hsp,Htl,MBT,		
	MLI,Mtl,Nrs,OfL,OfS,RFF,RSD	T,MLI,Mtl,Nrs,OfL,OfS,OTR	MLI, Mtl, Nrs, OfL, OfS, RFF, R		
	,Rt3,RtL,RtS,SCn,WRf,Res,D	,Res,RFF,RSD,Rt3,RtL,RtS,S	SD,Rt3,RtL,RtS,SCn,SFm,W		
BldgType	Mo,MFm,SFm	Cn,SFm,WRf,MFm	Rf,DMo,MFm	No Value	No Value
BldgVintage	Ex	Ex	Ex	No Value	No Value
	CZ01,CZ02,CZ03,CZ04,CZ05,				
	CZ06,CZ07,CZ08,CZ09,CZ10,				
	CZ11,CZ12,CZ13,CZ14,CZ15,		,CZ06,CZ08,CZ09,CZ10,CZ1		
BldgLoc	CZ16, IOU	IOU	3,CZ14,CZ15,CZ16	No Value	No Value
	cWtd	cWtd			
BldgHVAC	rWtd	rWtd	Wtd	No Value	No Value

23)

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
MeasureAppType	ROB	ROB	ROBNC	No Value	No Value
NormUnit	Lamp	Lamp	Lamp	No Value	No Value
EUL ID	ILtg-Com-LED-15000hr ILtg-Res-LED-15000hr	ILtg-Com-LED-15000hr ILtg-Res-LED-15000hr	ILtg-Com-LED-15000hr ILtg-Res-LED-15000hr	No Value	No Value
NTGR	Res-sAll-MLtgLED-Deemed NonRes-sAll-MLtgLED- Deemed Com-Default>2yrs Res-Default>2	,	Com-Default>2yrs Res-sAll-MLtgLED-Deemed	No Value	No Value
	DirInstall NonUpStrm PreRebDown	Any DirInstall	DirInstall NonUpStrm PreRebDown		
DeliveryType	PreRebUp	PreRebUp	PreRebUp	No Value	No Value
	Def-GSIA	Def-GSIA	Def-GSIA		
GSIA	Com-LED-PGE	Com-LED-PGE	Com-LED-PGE	No Value	No Value

Commercial Refrigeration

Measure Consensus 4.29 LED Globe Lamp

Offering

- □ 2 Lighting Bins: <3W, $3W \leq 10W$
- Building Types: 25 NonRes / 4 Res (Note: Not OTR, Gst/not GsR)
- Vintage: Ex (Note: Not New)
- Climate Zone: CZ01 CZ16 (Note: Not IOU)
- Residential Area: Dwelling/Common
- Delivery: PreRebDown, PreRebUp, NonUpStrm, DirInstall

Stage 1 Issues

Climate Zone specific claims to match across the state

Measure Extension

- Added measure for POUs (electric measure)
- Added residential areas beyond SCE

Stage 2 Issues

(Common Lighting Issues)

12/14/2017

TECHNICAL FORUM

Measure Consensus 4.29 LED Globe Lamp



	Percent Change Within the Measure								
	·								
		PGE	SCE	SDG	SCG	Total			
	kW	-2%	0%	-63%		-30%			
AI	kWh	-1%	0%	-63%		-32%			
<	Therms	9%	0%	-63%		-35%			
	Cost	61%	-48%	-13%		-38%			
	kW	-2%	0%	-63%					
٥	kWh	-1%	0%	-63%					
	Therms	9%	0%	-63%					
	Cost	61%	-48%	-13%]				
Ξ	kW								
Ļ	kWh								
Non-DI	Therms								
2	Cost								

Absolute Change & Comparison

		% of Measure	% of Cagegory	PGE	SCE	SDG	SCG
kW	(1.88)	-3%	(0.003)	(0.01)	0.00	(1.83)	-
kWh	(7,681)	-3%	(0.002)	(16)	(0)	(7 <i>,</i> 089)	-
Therms	21	-2%	0.000	(1)	0	8	-
Cost	\$ (5,332)	-14%	(0.001)	\$ 367	\$(5,417)	\$ (281)	\$ -



Notes:

- 'Savings Difference' based on 2017 claims data
- Large cost difference
 - Direct Install can use actual cost, rather than workpaper cost
 - eTRM cost matches the workpaper values
 - Typical for same offering to have different costs
 - PG&E savings difference due to IOU-Weighted CZ rather than actual CZ (which impacts interactive effects values)
 - SDG&E uses DEER measures (C-In-LED-Glb(8w)-dWP31)
 - × 8W measure case value typically included in 3-10W bin, (which will result in a reduced savings credit)

Input Consensus 4.29 LED Globe Lamp



• Measure Permutations

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
	Com,Sun,Asm,ECC,EPr,ERC,E	SUn,Asm,Com,DMo,ECC,E	SUn,Asm,ECC,EPr,ERC,ESe,		
	Se,EUn,Gro,Gst,Hsp,Htl,MBT,	Pr,ERC,ESe,EUn,Gro,Hsp,H	EUn,Gro,Gst,Hsp,Htl,MBT,		
	MLI, Mtl, Nrs, OfL, OfS, RFF, RSD	tl,MBT,MFm,MLI,Mtl,Nrs,	MLI, Mtl, Nrs, OfL, OfS, RFF, R		
	,Rt3,RtL,RtS,SCn,WRf,Res,D	OfL,OfS,OTR,Res,RFF,RSD,	SD,Rt3,RtL,RtS,SCn,SFm,W		
BldgType	Mo,MFm,SFm	Rt3,RtL,RtS,SCn,SFm,WRf	Rf	No Value	No Value
BldgVintage	Ex	Ex	Any	No Value	No Value
	CZ01,CZ02,CZ03,CZ04,CZ05,				
	CZ06,CZ07,CZ08,CZ09,CZ10,				
	CZ11,CZ12,CZ13,CZ14,CZ15,		,CZ06,CZ08,CZ09,CZ10,CZ1		
BldgLoc	CZ16, IOU	IOU	3,CZ14,CZ15,CZ16	No Value	No Value
	cWtd	cWtd			
BldgHVAC	rWtd	rWtd	Any	No Value	No Value

26

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
MeasureAppType	ROB	ROB	ROBNC	No Value	No Value
NormUnit	Lamp	Lamp	Lamp	No Value	No Value
	ILtg-Com-LED-15000hr	ILtg-Com-LED-15000hr	ILtg-Com-LED-15000hr		
	ILtg-Com-LED-20000hr	ILtg-Com-LED-20000hr	ILtg-Com-LED-20000hr		
	ILtg-Res-LED-15000hr	ILtg-Res-LED-15000hr	ILtg-Res-LED-15000hr		
EUL ID	ILtg-Res-LED-20000hr	ILtg-Res-LED-20000hr	ILtg-Res-LED-20000hr	No Value	No Value
	Res-sAll-MLtgLED-Deemed	Res-sAll-MLtgLED-Deemed			
	NonRes-sAll-MLtgLED-	NonRes-sAll-MLtgLED-			
	Deemed	Deemed	Com-Default>2yrs		
	Com-Default>2yrs	Com-Default>2yrs	Res-sAll-MLtgLED-Deemed		
NTGR	Res-Default>2	Res-Default>2	Res-Default>2	No Value	No Value
	DirInstall		DirInstall		
	NonUpStrm	Any	NonUpStrm		
	PreRebDown	DirInstall	PreRebDown		
DeliveryType	PreRebUp	PreRebUp	PreRebUp	No Value	No Value
	Def-GSIA	Def-GSIA			
GSIA	Com-LED-PGE	Com-LED-PGE	Def-GSIA	No Value	No Value



Measure Consensus 4.30 LED A Lamp

- Offering
 - 4 Lumen Equivalents: 40W, 60W, 75W, 100W
 - 3-4 Lumen Bins Each:
 - × 40W-(68,80,90,100 LPW), 60W-(80,90,100,110 LPW),
 - × 75W-(90,100,110,120 LPW), 100W-(90,100,110 LPW),
 - Building Types: 25 NonRes / 4 Res (Note: Not OTR, Gst/not GsR)
 - Vintage: Ex (Note: Not New)
 - Climate Zone: CZ01 CZ16 (*Note: Not IOU*)
 - Residential Area: Dwelling/Common
 - Delivery: PreRebDown, PreRebUp, NonUpStrm, DirInstall

Stage 1 Issues

- Climate Zone specific claims to match across the state
- Added special hours for Dwelling Areas & Common Areas for the Multi-Family and Double-Wide Mobile Homes.
- SDG&E "short form" added LED reflector lamps (BR/R). This lamp type is addressed in measure 4.32.
- SDG&E "short form" included a long list of requirements but it was not clear if they are incremental to the lead WP or just explicitly broken out here (e.g. PF, CRI, standby power, etc).
- The consolidated measure reflects the webscraping methodology costs from the PG&E WP.

Measure Extension


- Added measure for POUs (electric measure)
- Added residential areas beyond SCE
- Stage 2 Issues
 - (Common Lighting Issues)

12/14/2017

TECHNICAL FORUM

Measure Consensus 4.30 LED A Lamp





Absolute Change & Comparison

	Total	% of Measure	% of Cagegory	PGE	SCE	SDG	SCG
kW	(1)	0%	(0.001)	0.50	0.22	-	-
kWh	(8,017)	0%	(0.002)	2,407	47	-	-
Therms	(332)	0%	(0.000)	(365)	0	-	-
Cost	1,245,945	4%	0.192	\$2,918	\$ 1,246,534	\$ -	\$ -



Notes:

- Savings Difference' based on 2017 claims data
 - Removed claims for prior to lumen bin methodology
- Cost difference
 - eTRM cost matches the workpaper values
 - SCE cost shows
 - Midstream: Matches
 - DI and Upstream: Residential cost too low and Commercial cost higher than eTRM
 - Typical for same offering to have different costs

PG&E savings difference due to IOU-Weighted CZ rather than actual CZ (which impacts interactive effects values)

Black text = Current state of the consolidated measure Blue text = Changing and / or first time item is mentioned *Italics* text = Item that has not been completed

Input Consensus 4.30 LED A Lamp

- Measure Permutations
 - eTRM measure matches the lumen bin methodology from PG&E

	eTRM Measure Value	
	Com,Sun,Asm,ECC,EPr,ERC,E	
	Se,EUn,Gro,Gst,Hsp,Htl,MBT,	
	MLI,Mtl,Nrs,OfL,OfS,RFF,RSD	
	,Rt3,RtL,RtS,SCn,WRf,Res,D	
BldgType	Mo,MFm,SFm	
BldgVintage	Ex	
	CZ01,CZ02,CZ03,CZ04,CZ05,	
	CZ06,CZ07,CZ08,CZ09,CZ10,	
	CZ11,CZ12,CZ13,CZ14,CZ15,	
BldgLoc	CZ16, IOU	
	cWtd	
BldgHVAC	rWtd	

	eTRM Measure Value
MeasureAppType	ROB
NormUnit	Lamp
EUL ID	ILtg-Com-LED-20000hr ILtg-Res-LED-20000hr
	NonRes-sAll-mLEDARefl Res-sAll-mLEDARefl Com-Default>2yrs
NTGR	Res-Default>2
	DirInstall NonUpStrm
DeliveryType	PreRebDown PreRebUp
	Com-LED-PGE
GSIA	Def-GSIA

ALIFORNIA

CHNICAL FORUM

Measure Consensus 4.31 LED Recessed Downlight Kit



12/14/2017

• Offering

- 3 Lighting Bins: <10W, 10W 12W, 13-25W</p>
- Building Types: 25 NonRes / 4 Res (Note: Not OTR)
- Vintage: Ex (Note: Not New)
- Climate Zone: CZ01 CZ16 (Note: Not IOU)
- Residential Area: Dwelling/Common
- Delivery: PreRebDown, PreRebUp, NonUpStrm, DirInstall

Stage 1 Issues

- Climate Zone specific claims to match across the state
- PG&E had three measure offerings, while SCE had one measure offering which overlapped with the most conservative of the PG&E measure offerings.

30

 Base, measure and labor costs used in the two WPs vary significantly. The consolidated measure currently includes the PG&E values but the data needs to be reviewed to determine which WP includes better cost data/represents the better methodology.

Measure Extension

- Added measure for POUs (electric measure)
- Added residential areas beyond SCE


Stage 2 Issues

(Common Lighting Issues)



Measure Consensus 4.31 LED Recessed Downlight Kit





Absolute Change & Comparison

31

		% of Measure	% of Cagegory	PGE	SCE	SDG	SCG
kW	43.14	3%	0.062	12.15	30.99	-	-
kWh	409,524	3%	0.104	44,703	364,820	-	-
Therms	(8 <i>,</i> 659)	3%	(0.004)	(5 <i>,</i> 635)	(3,024)	-	-
Cost	\$277,516	1%	0.043	\$ (0)	\$277,517	\$-	\$-



• Notes:

- 'Savings Difference' based on 2017 claims data
- PG&E savings difference due to IOU-Weighted CZ rather than actual CZ (which impacts interactive effects values)
- SCE
 - 2016 ExAnte Common Areas use lower hours
 - Uses one bin of <=15W (uses 8W as measure value); this analysis assumes these lamps could fit into higher wattage bins, but not enough information to tell how much more

Input Consensus 4.31 LED Recessed Downlight Kit



Measure Permutations

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
	Com,Sun,Asm,ECC,EPr,ERC,E		SUn,Asm,ECC,EPr,ERC,ESe,		
	Se,EUn,Gro,Gst,Hsp,Htl,MBT,		EUn,Gro,Hsp,Htl,MBT,DM		
	MLI, Mtl, Nrs, OfL, OfS, RFF, RSD		o,MFm,MLI,Mtl,Nrs,OfL,Of		
	,Rt3,RtL,RtS,SCn,WRf,Res,D		S,OTR,RFF,RSD,Rt3,RtL,RtS,		
BldgType	Mo,MFm,SFm	Com,MFm,Res	SCn,SFm,WRf	No Value	No Value
BldgVintage	Ex	Ex	Ex	No Value	No Value
	CZ01,CZ02,CZ03,CZ04,CZ05,		CZ01,CZ02,CZ03,CZ04,CZ0		
	CZ06,CZ07,CZ08,CZ09,CZ10,		5,CZ06,CZ07,CZ08,CZ09,CZ		
	CZ11,CZ12,CZ13,CZ14,CZ15,		10,CZ11,CZ12,CZ13,CZ14,C		
BldgLoc	CZ16	IOU	Z15,CZ16	No Value	No Value
	cWtd	cWtd	cWtd		
BldgHVAC	rWtd	rWtd	rWtd	No Value	No Value

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
MeasureAppType	ROB	ROB	ROBNC	No Value	No Value
NormUnit	Each	Each	Each	No Value	No Value
	ILtg-Com-LED-20000hr	ILtg-Com-LED-20000hr	ILtg-Com-LED-20000hr		
EUL ID	ILtg-Res-LED-20000hr	ILtg-Res-LED-20000hr	ILtg-Res-LED-20000hr	No Value	No Value
	Res-sAll-mLEDSpcl				
	Com-Default>2yrs		Com-Default>2yrs		
	Res-Default>2	Res-sAll-MLtgLED-Deemed	Res-Default>2		
	Agric-Default>2yrs	Com-Default>2yrs	Agric-Default>2yrs		
NTGR	Ind-Default>2	Res-Default>2	Ind-Default>2	No Value	No Value
	PreRebDown				
	PreRebUp		DirInstall		
	DirInstall	PreRebDown	PreRebDown		
DeliveryType	NonUpStrm	PreRebUp	NonUpStrm	No Value	No Value
GSIA	Def-GSIA	Def-GSIA	Def-GSIA	No Value	No Value

Measure Consensus 4.32 LED R/BR Lamp



Offering

- 3 Lighting Bins: <11W, 11W 13W, 14-22W</p>
- Building Types: 25 NonRes / 4 Res (Note: Not OTR, Gst/not GsR)
- Vintage: Ex (Note: Not New)
- Climate Zone: CZ01 CZ16 (Note: Not IOU)
- Residential Area: Dwelling/Common
- Delivery: PreRebDown, PreRebUp, NonUpStrm, DirInstall

Stage 1 Issues

- Climate Zone specific claims to match across the state
- Added special hours for Dwelling Areas & Common Areas for the Multi-Family and Double-Wide Mobile Homes.
- SDG&E used DEER measures that included smaller range wattage bins

Measure Extension

- Added measure for POUs (electric measure)
- Added residential areas beyond SCE

Stage 2 Issues

(Common Lighting Issues)

Measure Consensus 4.32 LED R/BR Lamp



	Percent Ch	ange Wi	thin the	e Measu	re	
	(PGE	SCE	SDG	SCG	Total
	kW	-11%	-6%	-23%		-8%
=	kWh	-12%	-6%	-25%		-8%
All	Therms	-6%	-6%	-17%		-6%
	Cost	7%	57%	-9%		43%
	kW	-15%	-2%	-27%		
_	kWh	-15%	-1%	-26%		
Δ	Therms	-13%	0%	-26%		
	Cost	54%	50%	13%		
_	'kW	-10%	-6%	-22%		
Ģ	kWh	-11%	-6%	-25%		
Non-DI	Therms	-5%	-6%	-17%		
2	Cost	0%	57%	-11%		

Absolute Change & Comparison

		% of	% of				
	Total	Measure	Cagegory	PGE	SCE	SDG	SCG
kW	(626.07)	-11%	(0.901)	(153.59)	(351.36)	(109.17)	-
kWh	(4,164,297)	-10%	(1.057)	(1,024,883)	(2,338,898)	(759,947)	-
Therms	49,641	-7%	0.022	7,861	35,878	5,617	-
Cost	\$7,417,734	37%	1.144	\$ 208,499	\$7,314,232	\$ (99,760)	\$-

8,539,300 40,594,416 2,998,960



Notes:

- Too many changes occurring to make detailed conclusions
- Savings Difference' based on 2017 claims data
 - SCE, PG&E and SDG&E reporting two versions of savings
 - Cannot easily compare because WRR changed part way through 2017
 - × PG&E savings difference due to IOU-Weighted CZ rather than actual CZ (which impacts interactive effects values)
- SDG&E savings discrepancy:
 - Claims DEER wattage bins that has options for 10, 11, 12, 13, and 16W
 - More bins creates more accurate savings; this is a large Measure, so this could be important
 - Large cost difference
 - Direct Install can use actual cost, rather than workpaper cost
 - PG&E costs used for eTRM values

Lighting, Tier 2

Black text = Current state of the consolidated measure Blue text = Changing and / or first time item is mentioned *Italics* text = Item that has not been completed

Input Consensus 4.32 LED R/BR Lamp



Measure Permutations

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
	SUn,Asm,Com,ECC,EPr,ERC,	SUn,Asm,Com,ECC,EPr,ER	SUn,Asm,ECC,EPr,ERC,ESe,		
	ESe,EUn,Gro,Gst,Hsp,Htl,MB	C,ESe,EUn,Gro,Hsp,Htl,MB	EUn,Gro,GsR,Hsp,Htl,MBT,		
	T,MFm,MLI,Mtl,Nrs,OfL,OfS,	T,MFm,MLI,Mtl,Nrs,OfL,Of	MFm, MLI, Mtl, Nrs, OfL, OfS,		
	OTR,Res,RFF,RSD,Rt3,RtL,RtS	S,OTR,Res,RFF,RSD,Rt3,RtL	RFF,RSD,Rt3,RtL,RtS,SCn,SF		
BldgType	,SCn,SFm,WRf,DMo	,RtS,SCn,SFm,WRf,DMo	m,WRf,Dmo	No Value	No Value
BldgVintage	Ex	Ex	Ex	No Value	No Value
	CZ01,CZ02,CZ03,CZ04,CZ05,				
	CZ06,CZ07,CZ08,CZ09,CZ10,				
	CZ11,CZ12,CZ13,CZ14,CZ15,		CZ06,CZ08,CZ09,CZ10,CZ1		
BldgLoc	CZ16, IOU	IOU	3,CZ14,CZ15,CZ16	No Value	No Value
	cWtd	cWtd	cWtd		
BldgHVAC	rWtd	rWtd	rWtd	No Value	No Value

35

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
MeasureAppType	ROB	ROB	ROB	No Value	No Value
NormUnit	Lamp	Lamp	Lamp	No Value	No Value
EUL ID	ILtg-Com-LED-20000hr ILtg-Res-LED-20000hr	ILtg-Com-LED-20000hr ILtg-Res-LED-20000hr	ILtg-Com-LED-20000hr ILtg-Res-LED-20000hr	No Value	No Value
NTGR		NonRes-sAll-mLEDARefl Res-sAll-mLEDARefl	NonRes-sAll-mLEDARefl Res-sAll-mLEDARefl	No Value	No Value
	DirInstall		DirInstall		
	NonUpStrm	DirInstall	NonUpStrm		
	PreRebDown	Any	PreRebDown		
DeliveryType	PreRebUp	PreRebUp	PreRebUp	No Value	No Value
	Com-LED-PGE	Com-LED-PGE			
GSIA	Def-GSIA	Def-GSIA	Def-GSIA	No Value	No Value

Measure Consensus 4.36 LED T8 Replacement Lamp



Offering

- 1 Lighting Bin: weighted average of 25, 28, 30, and 32V
- Building Types: 25 NonRes / 4 Res (Note: Not OTR, Gs
- Vintage: Ex (Note: Not New)
- Climate Zone: CZ01 CZ16 (Note: Not IOU)
- Residential Area: Dwelling/Common
- Delivery: PreRebDown, PreRebUp, NonUpStrm, DirInstall

Stage 1 Issues


Climate Zone specific claims to match across the state

Measure Extension

- Added measure for POUs (electric measure)
- Added residential areas beyond SCE

Stage 2 Issues


(Common Lighting Issues)



UL Type A Configuration

Measure Consensus 4.36 LED T8 Replacement Lamp





Absolute Change & Comparison

		% of Measure	% of Cagegory	PGE	SCE	SDG	SCG
kW	167.41	134%	0.241	-	167.41	-	-
kWh	702,062	166%	0.178	-	702,062	-	-
Therms	(2,621)	311%	(0.001)	-	(2,621)	-	-
Cost	\$ (4,803,770)	-877%	(0.741)	\$-	\$ (4,803,770)	\$ -	\$-

Notes:

- Savings Difference' based on 2017 claims data
 - SCE reporting two versions of savings (ie, savings changed in the middle of the year)

Cost varies significantly in claims data for Midstream and DI

eTRM cost data taken from SCE workpaper

Input Consensus 4.36 LED T8 Replacement Lamp



Measure Permutations

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
	SUn,Asm,Com,ECC,EPr,ERC,		SUn,Asm,DMo,ECC,EPr,ER	SUn,Asm,DMo,ECC,EPr,ER	
	ESe,EUn,Gro,Hsp,Htl,MBT,M		C,ESe,EUn,Gro,Gst,Hsp,Htl,	C,ESe,EUn,Gro,Hsp,Htl,MB	
	Fm,MLI,Mtl,Nrs,OfL,OfS,Res,		MBT, MFm, MLI, Mtl, Nrs, Of	T,MFm,MLI,Mtl,Nrs,OfL,Of	
	RFF,RSD,Rt3,RtL,RtS,SCn,SFm		L,OfS,RFF,RSD,Rt3,RtL,RtS,	S,RFF,RSD,Rt3,RtL,RtS,SCn,	
BldgType	,WRf	No Value	SCn,WRf	WRf, SFm, Com	No Value
BldgVintage	Ex	No Value	Any	Ex	No Value
	CZ01,CZ02,CZ03,CZ04,CZ05,				
	CZ06,CZ07,CZ08,CZ09,CZ10,				
	CZ11,CZ12,CZ13,CZ14,CZ15,		CZ06,CZ08,CZ09,CZ10,CZ1	CZ06,CZ07,CZ08,CZ10,CZ1	
BldgLoc	CZ16, IOU	No Value	3,CZ14,CZ15,CZ16	4,CZ15	No Value
	cWtd				
BldgHVAC	rWtd	No Value	Any	Any	No Value

	eTRM Measure Value	PG&E	SCE	SDG&E	SCG
MeasureAppType	ROB	No Value	ER,ROBNC	ER,ROB	No Value
NormUnit	Lamp	No Value	Lamp	Lamp	No Value
EUL ID	ILtg-Lfluor-Elec LtgFixture-Default	No Value	ILtg-Lfluor-Elec LtgFixture-Default	ILtg-Lfluor-Elec	No Value
NTGR	Com-Default>2yrs Res-Default>2	No Value	All-Default<=2yrs ET-Default	All-Default<=2yrs Com-Default>2yrs	No Value
DeliveryType	DirInstall NonUpStrm PreRebDown PreRebUp	No Value	DirInstall NonUpStrm PreRebDown	DirInstall PreRebUp PreRebDown	No Value
GSIA	Def-GSIA	No Value	Def-GSIA	Def-GSIA	No Value



Lighting Measure Affirmation

39

"Cal TF affirms the subcommittee recommendations regarding 'Stage 1 Issues' for Lighting Measures."

- 4.16, LED, Interior Downlight Fixture
- 4.26, LED, MR-16 Lamp
- 4.27, LED, PAR Lamp
- 4.28, LED, Candelabra Lamp
- 4.29, LED, Globe Lamp

- 4.30, LED, A-Lamp
- 4.31, LED, Recessed Downlight Retrofit Kit
- 4.32, LED, R-BR Lamp
- 4.36, LED, Tube LED



Back-up Materials

(40)



4.32 LED R/BR Lamp Example



	((41))									
			Co	m	R	es				
		Measure					Total No of			
ΡΑ	Bin	Wattage	No of Units	Gross kWh	No of Units	Gross kWh	Units	Total kWh		
	< 11 W	6	297	26,029			297	26,029		
MCE	≥ 11 W to < 14 W	11	92	12,088			92	12,088		
	≥ 14 W to ≤ 22 W	14			103	2,451	103	2,451		
	< 11 W	6	33,561	2,162,246	218,655	3,431,980	252,216	5,594,227		
PGE	≥ 11 W to < 14 W	11	7,894	778,457	62,119	1,418,265	70,013	2,196,722		
	≥ 14 W to ≤ 22 W	14	3,152	288,748	19,274	459,603	22,426	748,352		
	< 11 W	6	60,872	2,612,201	880,783	13,336,102	941,655	15,948,303		
SCE	≥ 11 W to < 14 W	11	47,137	2,741,174	715,232	15,093,304	762,369	17,834,478		
	≥ 14 W to ≤ 22 W	14	13,841	1,019,768	216,427	5,791,867	230,268	6,811,635		
	< 11 W	10	2,085	265,232	9,408	222,017	11,493	487,249		
SDGE		11	3,812	500,664			3,812	500,664		
SDGE	≥ 11 W to < 14 W	12	4,014	433,290	61,401	1,559,580	65,415	1,992,871		
		13	33	3,856	521	14,321	554	18,177		
Grand To	otal	Grand Total				41,329,491	2,360,713	52,173,244		

Yellow highlights are examples of additional savings because Measure wattage is great than typical minimum value Green highlights are example of opportunities for other IOUs